



Parts Catalogue Section A Chassis





Sectio	n A1	Chassis	
Comn	nents:		
Date o	of Issue :	Date Revised: Drawing Ref:	,
ilem	Part No.	Description	Qty
1	S28A 10113 S29A 10114 S29A 10122 S29A 10124	Chassis Assembly (2.8 Only) Chassis Assembly (2.9 Only) (To VIN SA9DSN2P9LB019349) Chassis Assembly (2.9 Only) (FROM VIN SA9DSN2P9LB019351 TO VIN SA9DSN2P5LC019414) Chassis Assembly (2.9 Only) FROM VIN SA9DSN2P5LC019415 (6th APRIL 1990)	1 1 1





INTERPRETATION OF SPARE PARTS MANUAL

This manual is divided into sections as shown on the contents page. To locate a part refer to the contents page to establish the section reference number. If the designation of the part is not known it may be identified by reference to the relevant illustration. The illustration item numbers are listed in numerical order in the tabulated list. Part number, description and number per car can be ordered by reading across the list.

Usage will quickly make the user familiar with the manual layout and no problem should be encountered locating any part number.

HOW TO ORDER

In order to avoid delay the following information should be read carefully and the instructions followed closely to ensure that the factory, importer or dealer receives sufficient information, in the approved form, to enable a speedy dispatch of the correct parts.

Orders for parts should be forwarded separately from correspondence dealing with other matters.

The chassis number, vehicle identification number and engine number, including all letter prefix and suffixes of the car concerned must be quoted on every order. This information is given on the identification plate on the wheel arch of the vehicle and on the engine cylinder block.

The full part number and description of the parts required must always be given and if any doubt exists a sketch or pattern should be forwarded with the order.

Specialist and other non standard equipment which is not listed in this parts catalogue may be ordered on a seperate order form giving full details.

Damaged and broken parts sent as patterns will not be returned unless specially requested.



Shown below is a typical example of the information required.
From
TVR Model
Engine Number
Chassis or V.I.N.
Item 1
Despatch to
Address
Wethod of transport
Signature
Date
SPECIAL NOTE As pipe and hose lengths may vary from time to time due to variations in production build, pleas state length required in addition to the part number in order that we may supply the correct item.

Always specify the method of despatch required eg. Air freight, Airmail, sea, post, passenger train etc.

Confirmation orders must be clearly marked to avoid duplication.

Crates and packing cases used for the despatch of goods will be charged for and credited in full if returned undamaged within one month.